

## 6322 KASPER FAUNAFOOD – BROWSER PELLETS (10 mm)

### Nutritional benefits:

- High fibre content of 24 percent
- The fibre content consist of shredded and dried indigenous scrub bushes from Africa, such as Acacia species:
  - ✓ The animals natural feed as Acacia species are part of the natural diet for wild animals
  - ✓ Acacia species are rich in natural trace elements
  - ✓ Herbivores in captivity seem to recognize the natural ingredients by instinct
- Low amount of easy digestible carbohydrates
- Balanced vitamin and mineral content
  - ✓ Especially a high vitamin E level
  - ✓ Selenium and biotin are added to prevent hoof problems
- Added vegetable oil for a shiny coat

### Feeding guide:

Kasper Faunafood BROWSER BUSH FIBER PELLETS are designed to be fed up to a 40% addition to (a combination of) forages like grass hay, silage and alfalfa hay.



The calculated analyses values can show limited differences due to incidental adaptations.

## BROWSER PELLET 10 mm (6322)

### Analysis

Crude protein	%	15.3
Crude fat	%	4.5
Crude fibre	%	24.6
Ash	%	8.5
Dry matter	%	90.3
Starch	%	5.5
Sugar	%	5.9
NDF	%	41.9
ADF	%	30.9
ADL	%	7.1

### Energy

GE	kJ/kg	16 511
----	-------	--------

### Minerals

Ca	%	1.10
P	%	0.36
K	%	1.27
Mg	%	0.31
Na	%	0.76
Cl	%	0.76

### Trace elements:

Fe	mg/kg	367
Mn	mg/kg	86
Zn	mg/kg	85
Cu	mg/kg	24
Co	mg/kg	1.59
I	mg/kg	0.83
Se	mg/kg	0.79

### Amino acids

Lysine	g/kg	7.7
Methionine	g/kg	2.7
Methionine+Cystine	g/kg	5.5
Cystine	g/kg	2.8
Threonine	g/kg	6.2
Tryptofaan	g/kg	2.0
Isoleucine	g/kg	6.6
Arginine	g/kg	10.6
Fenylalanine	g/kg	7.4
Histidine	g/kg	4.0
Leucine	g/kg	10.0
Tyrosine	g/kg	5.1
Valine	g/kg	8.1

### Vitamins

Choline	mg/kg	81
Vit.A	IU/kg	14200
Vit.D3	IU/kg	1200
Vit.E	mg/kg	375
Vit.K3	mg/kg	1.8
Vit.B1 thiamine	mg/kg	5.2
Vit.B2 riboflavin	mg/kg	4.0
Vit.B6 pyridoxine	mg/kg	1.5
Vit.B3 niacin	mg/kg	12.5
Vit.B5 pantothenic acid	mg/kg	13.2
Vit.B12 cobalamin	μg/kg	24.8
Vit.B9 folic acid	mg/kg	3.0
Betaine	mg/kg	103
Biotine	μg/kg	343
Vit.C	mg/kg	15
Linoleic acid	g/kg	13.5



The calculated analyses values can show limited differences due to incidental adaptations.